





Guidelines for methane target setting

Jose Miguel TUDELA

Content






I. Why is important to set a target?



INTERNAL APPROACH

| Identification | Detection | Quantification | Reporting | Verification | Mitigation |





I. Why is important to set a target?






EXTERNAL APPROACH

TRANSPARENCY

I. Why is important to set a target?







5

Content






2. Key elements in target setting







Key elements in target setting

Absolute vs intensity target

An **absolute** target describes a reduction in actual emissions in a future year when compared to a base year.

Intensity target describes a future reduction in emissions that have been normalized to a business metric when compared to the same normalized business metric emissions in a base year.

It is important to well-define the relationship of scale between the absolute quantities and the **normalization factors**. In general, when using intensity targets, organizations should define the target in ways that align with business decision making and in ways that allow clearer communication of performance to stakeholders.

GHG vs Methane Targets

In general, **GHG targets are set**in **CO₂e** and include all GHGs
derived from an organization
activities covered by the kyoto:

- CO₂
- PFCs
- CH₄
- SF₆
- N₂O
- NF₃
- HFCs

GHG targets can relate to Scope 1, Scope 2 and/or Scope 3 emissions in full or in part.

Methane specific targets can be set individually apart from a GHG target and contribute to achieve GHG emissions targets. Methane emissions are expressed either in tCH₄ or normalized in tCO_{2eq}.

Investors are increasingly asking for specific methane targets in the O&G sector, so it is considered a Best Practice to set methane specific targets.

It is highly advised that companies set specific methane targets together with

GHG emissions targets.



Reduce **GHG emissions** of 40 % by 2030 compared to 2016 levels.




Reduce the collective average **methane intensity** of their aggregated upstream
O&G operations to below
0.25% by 2025 (from a baseline of 0.32 % in
2017), with an ambition to achieve a level of
0.2%.

2. Key elements in target setting







setting

Baseline year

The **base year** is the year against which companies compare their reduction target.

Organizations can have:

- Fixed target base year
- Year-on-year rolling target
- Target based on average emissions over a period of time (e.g. 5-year average).

Reference year

Target year defines the target completion date and depends on the length of the commitment period.

Organization can have:


- A single year commitment period.
- Multi-year commitment period.

The target completion date determines whether the target is set for the short, medium or long term.

Best Practices for <u>GHG targets</u> include the setting of at least two targets to cover both the medium (5-15 years) and long time frames (>15 years).

For Methane Targets, International initiatives such as the Global Methane Alliance refers to 2025 and 2030.

Generally, long-term targets depend on uncertain future developments. Adding intermediate targets and/or milestones increases the credibility of these long-term commitments by giving investors more clarity on how this vision is going to impact the short-term.



Source: GHG Protocol

gasunie

Up to <u>2030</u> annually an average of 4% reduction in GHG emissions compared with the emissions in the three previous years.




Reduce the average absolute emissions, in Scope 1 and 2, by 17.8 % for 2013-2030 compared to the 2012 base year.



Reducing GHG emissions an average of 5% in the period 2019-2021 compared to 2018.

2. Key elements in target setting





Level of ambition

Main factors to determine the **level of ambition** include:

- <u>Methane reduction potential</u> based on the implementation of BATs or improvement of operational activities.
- <u>Drivers affecting methane emissions</u>, this is, the relationship between methane emissions and business metrics, investment and growth strategy.
- <u>International/national initiatives</u> with a specific level of ambition (eg. MGA ambition level: reduce by 45% by 2025 and 60%-70% by 2030).
- <u>Alignment with other companies</u> (benchmarking of methane targets with similar organizations).
- <u>Science based targets</u> scenarios to ensure that targets are in line with the IPPCC scenario toward Paris agreement goals.


Generally, organizations that have not previously invested in energy and other GHG reductions should be capable of meeting more aggressive reduction levels because they would have more cost-effective reduction opportunities.



Reduce methaneemission <u>50%</u> by 2025 (ref-year 2017).

Content








A short analysis was performed two years ago (Nov. – 2019) by GIE & Marcogaz: 40 companies covering all parts of the gas value chain were considered (results in the following slides).

During these 2 years, the initiative OGMP 2.0 and the increase on the level of ambition of the EU, have reinforced the necessity of setting ME targets.


On going initiative: MARCOGAZ is going to analyse the possibility to establish a European methane emissions reduction target covering mid & downstream. Specific Questionnaire has been sent



Results of the 2019 Study



European companies with emission reduction target



55% of the Companies have already set Emission Reduction Targets (GHG or methane).




Results of the 2019 Study




TYPE OF TARGET

GHG vs Methane Targets



Specific Methane Target

Absolute vs intensity target



Results of the 2019 Study




BASELINE AND REFERENCE YEAR

Baseline Year

 2018 is the "most popular" base year among targets reported by companies.

Reference Year

- 2030 is the "most popular" target year among targets reported by companies.
- Only one company has established a target beyond 2030.



^(*) Timeframe (years): Short-term: 0 ≤ 3 years; Medium-term: > 3 ≤ 10 years; Long-term: > 10 years


Results of the 2019 Study



LEVEL OF AMBITION

How much has the gas sector reduced to date?

Methane emission reduction already achieved (tCH4):



650,456 tCH₄ from 23 companies

What is the level of ambition for the future?

GHG

 Most of the GHG absolute targets have been set for 2020-2040 with a level of ambition between -5% and -60% (compared to baseline years between 2012-2018).

Methane

- Most of the **methane absolute targets** have been set for 2020-2025 with **a level of ambition between -7% and -66%** (compared to baseline years between 2014-2018)
- Only two companies have established methane reduction targets for 2030 (reduction between 60% - 80% compared to 2014 and 2013).

^(*) Emissions in baseline year represents 88% of European Methane emissions considered by Methane Tracker (2,582 ktCH4).

Content






4. How to start? A guideline in target setting




The two most common methodologies used for CH4 target setting are considering only an Internal Approach and adding an External Approach.



4. A guideline in target setting I. Methane diagnosis





Full content of each phase is available here.

Full content of each phase is available here.

1. 1 Methane emission sources identification:



Objective:

Identification of all methane emissions sources.



Tasks

a) Setting organization boundaries

Companies should select an approach for consolidating methane emissions and select those businesses and operations for the purpose of accounting and reporting CH_4 emissions (equity share or operational control approach).

b) Setting operational boundaries²⁷

After determining the organizational boundaries, companies should identify CH₄ emissions associated with their operations. To this end, operational activities²⁸ as well as equipment²⁹ and components³⁰ are analyzed and classified as follows:

- Incomplete combustion from burning of fuels as well as flaring.
- Fugitive emissions from leaking equipment and components.
- Vents from operating activities, maintenance/repairs works, emergency situations, etc.




Output:

Inventory of all CH4 emission sources linked to the organization's activities.

4. A guideline in target setting

2. CH4 emission reduction potential





Full content of each phase is available <u>here</u>.

2.1 BATs Applicability Analysis:



Objective:

Analyze whether the BATs are applicable to the organization's business considering the facilities owned and operated by the organization. This task only seeks to understand whether BATs apply to the facilities; a further analysis is then carried out in task 2.2 Cost-Benefit Analysis to assess if BATs can be technically and economically implemented.



Tasks

a) Identification of BATs

The company should identify what BATs for methane emissions reduction can be applied in their business operations. To this end, a benchmark analysis should be carried out considering BATs implemented by gas companies as well as official publications from international/national organisms or initiatives (e.g. GIE/MARCOGAZ³⁵, the Methane Guiding Principles³⁶, OGMP technical guidance documents³⁷, etc.).

b) Applicability Analysis

Once BATs have been identified, companies should analyze whether they are applicable to their segment of the gas chain, facilities and/or operations. To this end, companies will analyze if BATs can be implemented in the facilities (e.g. improvements in pneumatic valve only if the organization use this kind of valves).



Output:

List of BATs applicable to an organization facilities and operations.

4. A guideline in target setting 3. External approach





This phase would only apply to companies which have follow the Internal Approach and want to complement the target setting process with an External Approach to ensure consistency and methodology alignment with international/national initiatives.

3.1 Identification of international/National initiatives:



Objective:

Include in the target setting approach the analysis of external initiatives related to CH₄ emission reduction to ensure that target is aligned with international/national standards.



Tasks

a) Methane reduction target benchmark

Companies should conduct a benchmark to identify what are the current and upcoming trends in CH4 emissions reduction. Benchmark should include:

- Type of target including intensity vs absolute as well as GHG vs methane targets.
- Base year and target year to determine the baseline and well as the time horizon.
- 3. Level of ambition to consequently plan the implementation of BATs.

This analysis should include public and private sector along the whole gas value chain. In addition, the company should analyze its GHG emission reduction strategy to align the CH₄ reduction pathway. This analysis will allow to adjust the methane reduction pathway as well as the global methane target. To be in line with external initiatives, additional BATs might have to be considered to reach the level of ambition set by legislation or other initiatives.



Output:

Alignment of methane target with external initiatives for CH4 emission reduction.

4. A guideline in target setting

4. Target setting





Full content of each phase is available <u>here</u>.

4.2 Target approval:



Objective:

Approval of total CH₄ reduction target and methane reduction pathway by obtaining senior management commitment and transparency



Tasks

a) Target approval

Total CH₄ emissions reduction target as well as CH₄ reduction pathway should be corporate approved to guarantee that technical and economic resources are available to achieve targets.

After approval process, companies should consider sharing the commitment in external and public means (e.g. website, Annual Reports, press release) and internally to ensure that they are clear at all levels.

b) Target monitoring

Organizations should monitor and track performance against targets and set corrective measures as necessary. To this end, regular monitoring is recommended.

In addition, annual reporting and verification is recommended.



Output:

Total CH₄ target and CH₄ reduction pathway approved.