

Is an 'optimal' solution desirable in practice?

Decision support for renewables deployment through
Spatially Explicit Practically Optimal Alternatives

Francesco Lombardi

Faculty of Technology, Policy and Management

Energy and Industry section


Part A.

On why 'optimal' does not equate 'desirable'

We must deploy new renewable, transmission and storage capacity.
But how much? and **where**?

The challenge.

Accelerating the energy transition




Energy system models provide quantitative insights around such questions.

How? turning those into a mathematical problem, for which an 'optimal' solution can be found

minimum cost

Research gaps.

Is cost-optimal
actually desirable?




Research gaps.

Is cost-optimal
actually desirable?

Two generalisable shortcomings:

1. Real-world decisions involve much more than economic cost (social acceptance, environmental impact, ...)




Research gaps.

Is cost-optimal
actually desirable?

Two generalisable shortcomings:

2. It is silly to fixate on the minimum cost considering the uncertainty surrounding all cost assumptions




Part B.

Generating alternatives for real-world deliberation

An original development of “Modelling to Generate Alternatives” (MGA) designed for **spatial detail**, computational efficiency and **real-world relevance**

SPORES.



Spatially and technologically distinctive alternatives






SPORES.


Spatially and technologically distinctive alternatives




Wind and PV annual production



Electricity curtailment and energy flow along transmission lines



Methane and Hydrogen production and methane flow along transmission lines



Installed capacity

- Pumped hydro
- Battery
- Gas turbine
- Methanation
- Electrolysis
- Offshore wind
- Onshore wind
- Rooftop PV
- Farm-scale PV
- Hydro
- Bioenergy





Calliope

Try out the results explorer yourself: explore.callio.pe

Interfaces.

A first example
for EuroSPORES


Carbon-neutral European energy systems [See the paper](#) [Download the data](#)



Part C.

From theory to practice: interfaces and more

Humans in the loop. Training the algorithm to stakeholder needs



Thank you. Questions?

 @FrLomb

1. Cost-optimality is not necessarily viable, let alone desirable, in practice. Modellers should provide **alternatives**
2. Flexibility of choice - particularly about spatial deployment - is **very likely** in any scenario, leaving **room for stakeholder discussion**
3. Yet, only a finite number of alternatives can be generated, which calls for **stakeholder integration in the computational workflow**
4. User-friendly **interfaces** might help balancing a wider decision space with calls for **understandability**